Cumulative Index 1987

Volume

January
PEDIATRIC SURGERY OF THE FOOT AND ANKLE,
pages 1–313

April THE DIABETIC FOOT, pages 315–522

July OCCUPATIONAL MEDICINE, pages 523–766

October EMERGING TECHNOLOGIES IN PODIATRIC MEDICINE,
pages 767–1006

Note: Page numbers of articles appear in boldface type.

Abscess, in diabetic foot, 405
magnetic resonance imaging in, 917
Accessory bones, radiographic appearance
of, 21–23
Accident prevention, 524
Achilles tendon, contracture of, evaluation
of, 111–112
tendonitis of, orthotic device for, 964
Acro-osteolysis, occupational, 575–576
Acrosclerosis, occupational, 575–576
Adaptic dressing, in wound care, 417
Aerosols, inhalation of, 610–612
sampling of, 614
Air pollution control, as extension of industrial hygiene, 525

Air sampling, of toxic substances, 612–614 Albumin level, in diabetic ulcer, 391–392 Alcohols, toxicity of, 568 Aldose reductase, in diabetic neuropathy, 325–326 Aldose reductase inhibitors, in neuropathy

treatment, 348–349
Allergy, dermatitis from, 572–574
American Conference of Governmental Industrial Hygienists, 606
TLV list of, 620–627

American Indian, diabetic foot amputation in, 503-516

American Industrial Hygiene Association, 606 Ames Test, 585 Amines, aromatic, carcinogenicity of, 585, 587 Aminoglycosides, in diabetic infection, 402 Ammonia, inhalation of, 609 Amputation, in diabetic foot, 481-500 anesthesia for, 491 causes of, 504 causing osteoarthropathy, 356 complications of, 508-512 prevention of, 503-516 conditions leading to, 481-482 digital, 492-496, 506 healing criteria in, 488-490 historical perspective of, 483-485 incidence of, 482-483 indications for, 486 level determination for, 487 of ray, 506 partial, 409 patient assessment for, 487-488 preoperative evaluation in, 487 prevention of, 504-505 prophylactic antibiotics in, 492 ray resection, 496 secondary, 508 shoe modification for, 446-447 techniques for, 490-491, 505 through midfoot, 500 tourniquet for, 491-492

Arch, morphology of, determination of, 666

Amputation (Continued) in diabetic foot, transmetatarsal, 496-500, 507-508 incidence of, in diabetes mellitus, 599of supranumerary digit, 59-62 Amyotrophy, diabetic, 344 Anesthesia, in amputation, 491 in arthroscopy, 868 in conversion disorder, 745 in pediatric patients, 4-5 Angiography, in diabetic foot evaluation, 323, 362-363 in peripheral vascular disease detection, Anhidrosis, in diabetic foot, 343 Ankle, dorsiflexion of, determination of, 661-662 fracture of, 293-297 avulsion, 887-895 transchondral, 857, 895-901 injury of, in athletes, 675 in dancers, 675 neuromuscular deformity of, 175-206 sprain of, chronic lateral instability after, in dancers, 702 strength of, in dancers, 688 Ankle joint, anatomy of, in basal degeneration, 854 in chondromalacia, 853-854 in erosions, 859 in impingement lesions, 857-858 in intraarticular avulsion fracture, 857 in magnetic resonance imaging, 907-908 in osteochondral bodies, 858 in superficial degeneration, 854, 856 in synovitis, 852-853 in transchondral fracture, 857 arthroscopy of, anatomy of, 847-860, 886-887 in intraarticular fracture, 885-902 portals for, 861-868 accessory, 867-868 anterior, 861-864 posterior, 864-866 stapling repair in, 875-883 techniques for, 868-874, 876-880 biomechanics of, 875-876, 886-887 magnetic resonance imaging of, 903-924 Ankle reflex, in diabetic neuropathy, 346 Antibiotics, in diabetic infection, 389–390, 402-404 in osteomyelitis, 47-49 prophylactic, in amputation, 492

Antidotes, to toxic substances, 560-561

379-380

Aortic graft, in peripheral vascular disease,

strain in, occupational, 556 Arch supports, for runners, 964 Argon laser, 771, 778-779, 794-795 Aromatic amines, carcinogenicity of, 585, Arsenic, carcinogenicity of, 588-589 toxicity of, 565-566 Arterial bypass, in peripheral vascular disease, 379-380 Arterial insufficiency, in diabetic patient, 377 - 381Arthrodesis, of subtalar joint, in spastic deformity, 178-179 triple, 183 Arthroereisis, in spastic deformity, 179 subtalar, 103-106, 153-161 Arthrogryposis multiplex congenita, 181 Arthroplasty, condylar implant, in tarsal coalition, 91-95 Arthroscopy, clinical application of, 829-834 history of, 829-834 instrumentation for, 835-846, 873 arthroscope, 835-836 camera, 841 cannula, 836-837 development of, 830-834 hand surgical instruments, 842-843 leg holder, 845 light cables, 839 light sources, 840 monitor, 841-842 obturator, 838-839 powered, 843 trocar, 836 oblique field of view in, 836 of ankle joint, anatomy in, 847-860 anesthesia for, 868 complications of, 873 in stapling repair, 880 in intraarticular fracture, 885-902 patient position for, 868 portals for, 861-868 stapling repair in, 875-883 techniques for, 868-874, 876-880 Asbestos, carcinogenicity of, 589 Aspiration, in osteomyelitis, 42 Aspirin, in diabetic ulcer, 387 Atherosclerosis, in diabetic patient, 324-325, 377-379 in peripheral vascular disease, 731-732 Athletes. See also Sports; Stress fracture. effect of floor surfaces on, 705 flexibility in, 683-684 foot pressure in, 691-692 functional anatomy of, 681-682 injuries of, epidemiology of, 673-680 knee strength in, 685, 688 musculoskeletal changes in, 682-683

occupational biomechanics of, 671–705 spondylolysis in, 703 stress fractures in, 702–703

Autonomic neuropathy. See under Neuropathy.

Avulsion fracture, of ankle, 887–895 arthroscopic anatomy of, 857 at anterior talofibular ligament, 891–892 at anterior tibiofibular ligament, 887– 891

at anterior tibiotalar ligament, 893–894 at posterior talofibular ligament, 893, 894

Back strength, of dancers, 684–685 Bacteriologic evaluation, preoperative, in diabetic patient, 452–453 Ballet. See *Dancers*. Bar, calcaneonavicular, 80–81, 88–89

Bar, calcaneonavicular, 80–81, 88–89
Basal degeneration, of joint, arthroscopic anatomy of, 854

BEIs (Biological Exposure Indices), 627 Berman-Gartland procedure, in metatarsus adductus deformity, 221–224

Beryllium, carcinogenicity of, 589 Betadine, in diabetic ulcer treatment, 388 Bioaerosols, sampling of, 614 Biobrane dressing, for diabetic ulcer, 422,

425 Biologic dressing, for diabetic infection, 409 Biologic Limit Value (BLV), 626–627

Biologic substances, occupational exposure to, 626–627

Biological Exposure Indices (BEIs), 627 Biomechanical examination, in occupational

medicine, 653–669 ankle dorsiflexion in, 661–662 arch morphology in, 666 calcaneal stance in, 666 equipment for, 655–656 first ray position in, 662–663 forefoot deviation in, 665 format for, 656 gait angle in, 667–668

genicular influence in, 665–666 hallux dorsiflexion in, 663 hamstring length in, 660–661

history in, 654 ligamentous laxity in, 667 limb length determination in, 656 limb rotation determination in, 656—

657, 660 malleolar position in, 661 normal criteria in, 655 stance angle in, 667 subtalar joint position in, 663–665

tibial varum in, 666 total varus determination in, 665 Biomechanics, following amputation, 509 measurement of, with photonics, 925 of ankle joint, 875–876, 886–887 of athletes, 671–705 of dancers, 671–705

of occupational footgear, 629-643 of stress fracture, 974-975

Bioocclusive dressing, for diabetic ulcer, 421, 425

Bischloromethyl ether, carcinogenicity of, 587

Bleeding control, laser surgery in, 774–775 Blindness, in diabetes, 319–323 Blood flow measurement, in diabetic pa-

tient, 488–490 with thallium-201 scan, 362–363

with Doppler ultrasound, 755

Blood glucose, management of, in neuropathy treatment, 348 preoperative, 440–441 measurement of, 319

Blood pressure, in diabetic patient, 325 measurement of, with Doppler ultrasound, 755-756

BLV (Biologic Limit Value), 626–627 Bone, infection in, 37–56

remodeling of, stress fracture and, 971 resorption of, in osteoarthropathy, 355–356

tumors of, magnetic resonance imaging in, 913, 917

Bone graft, in Jones' frecture, 951 Bone marrow disorders, magnetic resonance imaging in, 908, 912-913

Bone scan, in diabetic foot evaluation, 363–366

in osteoarthropathy diagnosis, 358 in osteomyelitis, 43–47 in stress fracture, 982–983 Bracing, in stress fracture, 985 Bunion. See *Hallux valgus*. Burns, in laser surgery, 824–827 Bursitis, retrocalcaneal, versus Haglund

Bursitis, retrocalcaneal, versus Haglund's syndrome, 942, 944

Cables, light, in arthroscopy, 839 Cadmium, carcinogenicity of, 588 Calcaneal stance position, determination of,

Calcaneocavus deformity, paralytic, 197–198 Calcaneocuboid coalition, 86–90 Calcaneonavicular bar, 80–81, 88–89 Calcaneus, coalition of, with talus, 81–85 osteotomy of, in flexible flatfoot, 137–151 paralytic, 191–193

spastic, 188–189 Calcification, intravascular, in diabetic foot, Calcinosis, medial, in diabetic foot, 378
Callous, in diabetic foot, 336–337
Camera, in arthroscopy, 841
Cancer, biologic mechanisms in, 590
occupational, 581–592
causes of, 581–589
control of, 590
Cannula, in arthroscope, 836–837

Carbamates, toxicity of, 569
Carbamates, toxicity of, 569
Carbamazepine, in diabetic neuropathy, 349
Carbon dioxide laser, 779
Carbon dioxide laser, 779

beam-limiting devices of, 790 cooling system of, 789–790 fiberoptic delivery system of, 792–793 freehand delivery system of, 790–791 gas source for, 789

in toenail disease, 809–821 microscopic delivery system of, 791–792 optical cavity of, 789 portable, 793

power control system for, 788–789 power source of, 787 Carboxymethyl cellulose dressing, in dia-

Carboxymethyl cellulose dressing, in diabetic ulcer, 420–421 Carcinogens, biologic mechanisms in, 590

occupational, 581–589
exposure limits for, 624–625
exposure to, 541
protection against, 590

testing of, 585 Cardiovascular disease, in diabetic patient, 325

occupational, 534, 536

Cartilage degeneration, arthroscopic anatomy of, 853–856, 859

Cartilaginous procedure, in metatarsus adductus deformity, 219–220

Cast, for diabetic ulcer, 391, 415, 471–478 Catapres. See *Clonidine*. Cavovarus deformity, 189, 198–203 Cavus foot, radiography of, 30

Cellulitis, crepitant, in diabetic ulcer, 399–401

Cement dermatitis, 573–574 Cephalosporins, in diabetic infection, 389, 402

Cerebral palsy. See Spastic deformity.
Charcot joint, 351–359
contraindicating surgery, 452
evaluation of, with nuclear medicine, 372
Chemical hazards. See Toxic substances.

Children. See *Pediatric patients*. Chondromalacia, arthroscopic anatomy of, 853–854

Chondromatosis, arthroscopic anatomy of,

858 Chondrotomy, Johnson, in metatarsus ad-

ductus deformity, 219–220 Chopart amputation, in diabetic patient, 500 Chromium, carcinogenicity of, 588

Claudication, in peripheral vascular disease, 733

test for, 737-738

Claw toe, after hallux amputation, 510–511 Clindamycin, in diabetic infection, 402 Clinoril. See Sulindac. Clonidine, in diabetic neuropathy, 349 Clostridial infection, in diabetic ulcer, 399–

Clubfoot, anatomy of, 234–237 classification of, 247–249 deformities associated with, 250 etiology of, 251 four quadrant surgical approach to, 233–245 pathology of, 249–250

radiography of, 33–35 recurrent, 247–265 spastic, 181–183

Coagulation disorders, atherosclerosis and, 324

Coalition, tarsal, 75–98 radiography of, 26–28 Cole osteotomy, in cavovarus, 201 Comfeel/Ulcus dressing, for diabetic ulcer, 420, 424

Computers, in photonics, 925–935 Congenital convex pes valgus, 163–173 Contact cast, in wound care, 391, 415, 471–478

Contact dermatitis, occupational, 572–574 Contracture, digital, in diabetic foot, 334, 336

Contrast media, in diabetic patient, 323 Conversion disorder, 744–746 Convex pes planovalgus, radiography of, 28–

Convex pes valgus, congenital, 163–173 Corns, in diabetic foot, 455 Coronary artery disease, in diabetic patient,

325 Cramps, leg, in peripheral vascular disease,

Cuboid, coalition of, with calcaneus, 86-90 Curettage, medullary, in Jones' fracture, 951

Dancers, ankle strength in, 688 back strength in, 684–685 effect of floor surfaces on, 705 flexibility in, 683–684 foot positions of, 671, 680–681 foot pressure in, 691–693 functional anatomy of, 680–682 injuries of, epidemiology of, 672–680 pathomechanics of, 700–704 knee strength in, 685, 688 lower extremity acceleration in, 693–700 musculoskeletal changes in, 682–683

occupational biomechanics of, 671–705 pointe work by. See *Pointe work*. shoes for, biomechanics of, 704

Débridement, in diabetic infection, 388–389, 399–400, 405–409, 414–416 in osteomyelitis, 49–51

in osteomyelitis, 49–51 with laser surgery, 775

Debrisan, in wound care, of diabetic foot, 415

Deformity, evaluation of, 450

Dermatitis, occupational, 572–574 substances causing, 573–574 Dermatosis, occupational, 532

Detergents, in wound care, of diabetic foot, 414

Diabetes mellitus, amputation in, incidence of, 599-600

classification of, 439

complications of, 319-327, 440

disease severity and, 332 foot problems in, prevalence of, 598-599

future outlook for, 327-328 management of, 315-319

overview of, 315–328 preoperative considerations in, 440–441 vascular evaluation in, 377–381

wound healing and, 413-414

Diabetic amyotrophy, 344
Diabetic foot, amputation in, 481-500
complication prevention in, 503-516

examination of, 331–338 hyperbaric oxygen and, 429–436

infection of, 395–410 neurological evaluation of, 341–350 nuclear medicine applications for, 361–

372 osteoarthropathy in, 351-359

perioperative management in, 439-443

prophylactic surgery in, 445-457 shoe gear for, 459-469

total contact cast for, 471-478 ulcer in, 382-393

synthetic membranes for, 419-426 wound care in, 413-418

Dialysis, in diabetic nephropathy, 323 Diarrhea, diabetic, 326

Dias-Tachdjian classification, of epiphyseal injuries, 294–297

Diet, in diabetic management, 315–316 Digit(s). See also *Toe*(s).

amputation of, in diabetic foot, 492–496, 506

deformity of, in diabetic foot, 455 supranumerary, 57-62

Dilantin. See Phenytoin.

Disability, classification of, 647–648 Doppler index, in vascular status evaluation,

Doppler ultrasound, in diabetic foot examination, 334, 397 pre-amputation, 489 in peripheral vascular disease detection, 738–739

in vascular testing, 754-756

Dorsalis pedis pulse, evaluation of, 333 palpation of, 735-736

Dorsiflexion, determination of, of ankle, 661–662

of hallux, 663

Drainage, in diabetic infection, 387–389, 405–408

Dressing. See also Synthetic membranes. in wound care, 416–417

Dropfoot, 195

Duoderm dressing, for diabetic ulcer, 420, 424

Dyes, dermatitis from, 574

Electromagnetic flow meter, in peripheral vascular disease detection, 740 Electromyography, in diabetic neuropathy,

Elevation-Dependency Test, in peripheral

vascular disease, 737 Epidemiology, **593–604** examples of, 598–603 of athletic injuries, 673–680 of dance injuries, 672–680

types of studies in, 594-598 Epiphysis, anatomy and physiology of, 279-

growth arrest of, in hallux valgus, 65–66 histology of, 281–282 injury to, 279–310

classification of, 288–290 in ankle, 293–307

in foot, 290-293 strength of, 283-285

vascular supply of, 282–283

Equinovalgus deformity, paralytic, 193–196 spastic, 188

Equinovarus deformity, paralytic, 196-197 spastic, 183-187

Equinus deformity, paralytic, 190-191 spastic, 181-183

Erosions, of cartilage, arthroscopic anatomy of, 859

Ethylene oxide, inhalation of, 610 Evans procedure, 137-151

Examination, biomechanical, 653–669

neurological, 11-20 of diabetic foot, 331-338

Excursion limit, for toxic substances, 625 Exercise, in diabetes management, 316

in plantar fasciitis, 942 in stress fracture, 985

Exposure, to hazardous materials, routes of, 608-612 standards for, 619-628 Factitial disorders, occupational, 747–751 Factory Acts, 645–646 Fasciitis, necrotizing, in diabetic ulcer, 401

plantar, 939–942 in dancers, 701

orthotic device for, 963

Fatigue fracture. See Stress fracture. Femoral position, determination of, 660 Femoral pulse, palpation of, 735–736 Femoral torsion, determination of, 660 Fibra distance in dishetes representations.

Fiber, dietary, in diabetes management, 316 Fiberglass, dermatitis from, 574 Film dressing, for diabetic ulcer, 421

Fire, in laser surgery, 786, 824 First ray position, determination of, 662-

Fit, of shoe for diabetic foot, 460 Flaccid deformity, 179–181

Flamenco dance, 672

foot deformities in, 683 foot pressure in, 692

injuries in, epidemiology of, 673–674 kinematics of, 681

shoes for, 704 vibration in, 693-700

Flatfoot, compensatory, 120

flexible, 99–117

calcaneal osteotomy in, 137–151

peroneal spastic, 79–80 radiography of, 24–26

rigid, radiography of, 26-30 tarsal coalition and, 75-98

rockerbottom, 163-173 structural, 120-123

subtalar arthroereisis in, 154

talar neck osteotomy in, 119-136 Flexibility, in athletes, 684

in dancers, 683-684 of footgear, 635-637

Floor surface, effect of, on dancers, 705 Foot, care of, in peripheral vascular disease, 740–742

'rolling" of, in dancers, 701

"sickling" of, in dancers, 701 Footgear, biomechanics of, flexibility in, 635–637

> friction in, 637-638 heel strike in, 630-632

pushoff phase in, 634–635, 638–640 stance phase in, 632–633, 638–641

three-dimensional aspects of, 641-643 dermatitis from, 574-575

for dancers, 704

occupational, biomechanics of, 629–643 occupational disease prevention and, 554–

perspiration absorption by, 643

protective, 577 shape changes in, 642-643 size standards for, 641-642

Forefoot deviation, determination of, 665 Foundry shoes, 577

Four quadrant approach, to clubfoot surgery, 233-245

Fracture. See also Avulsion fracture; Stress fracture; Transchondral fracture.

arthroscopic treatment of, 885-902 biomechanics of, 268-269

biomechanics of, 268–2 epiphyseal, 179–210

healing of, 271-275 in osteoarthropathy, 359

incidence of, 187–188 insufficiency, 980

Jones', 946-954 management of, 267-277

patterns of, 269–271 Tillaux, 191–199

triplane, 199-203 Friction, of footgear, 637-638

Fungal infection, occupational, 575 from inhalation of organic dusts, 611

of nail, laser treatment of, 815-818, 820

Gait, assessment of, 17-18

in conversion disorder, 744–745

Gait angle, determination of, 667–668 Gallium–67 citrate scan, in diabetic foot evaluation, 367–368

Gallium-67 scan, in osteomyelitis, 43-46 Gangrene, amputation in, 486

in diabetic ulcer, 399–402 prevention of, in peripheral vascular disease, 730, 740–742

Gastrocnemius tendon recession, in flexible flatfoot, 103

Gauze, in diabetic ulcer, 419 in wound care, 416-417

Gel dressing, for diabetic ulcer, 421–422 Genetic factors, in diabetes mellitus, 327

Gentamicin, in diabetic infection, 402

Glucose monitoring, 319 preoperative, 440–441

Glycemic index, in diabetes management, 316

Glycosylated hemoglobin, measurement of, 319

Goniometer, in biomechanical examination, 655

Gradient refractive index (GRIN) lens, in arthroscope, 835–836

Green-Grice procedure, in spastic equinovalgus, 188

Growing foot, radiography of, 23–24 Growth, prediction of, 66–68 Growth plate. See *Epiphysis*. Haglund's syndrome, 942-945 Hallux, amputation of, in diabetic foot, 492-495

weight transfer after, 509-511 dorsiflexion of, determination of, 663 plantar lesions of, in diabetic foot, 455 Hallux valgus, in diabetic foot, 455 with metatarsus primus adductus, 63-74 Hammertoe, in diabetic foot, 455 Hamstring, length of, determination of, 660-661

strain of, in athletes, 674, 681-682

Handicapped workers, workers' compensation laws for, 647

Hardening phenomenon, occupational, 573 Hazard Communication Standard, 607-608 Hazards. See Radiation; Safety; Toxic substances.

Healing, in diabetic patient, 409-410 amputation stump of, 488-490 hyperbaric oxygen and, 429-430 in talus osteotomy, 123-125

normal, 413

of fracture, 271-275 Heart disease, in diabetic patient, 325 Heel (person), pain in, in Haglund's syn-

drome, 942-945 occupational, 556

Heel (shoe), biomechanics of, 632-633 Heel strike, biomechanics of, 630-632

Helium-neon laser, 779

Hematologic system, occupational disorders of, 536, 539

Hematoma, subungual, in diabetic foot, 336 Hemoglobin, glycosylated, measurement of,

Hemoglobin saturation, in diabetic wound,

Hemorrhage, into eye, in diabetes, 321 Hepatitis B, risk of, 608-609

Herbicides, toxicity of, 569

n-Hexane, effect of, on peripheral nervous system, 601-602

Heyman-Herndon-Strong procedure, in metatarsus adductus deformity, 210-212 Hip, range of motion at, determination of,

656-657, 660 snapping of, in dancers, 700

Hoover test, in conversion disorder, 745 Hospitalization, indications for, in infection,

Hydrocarbons, toxicity of, 567-568

Hydrocolloid dressing, for diabetic ulcer, 420-421

Hygiene, evaluation of, preoperative, 452 Hyperbaric oxygen, in diabetic foot treatment, 429-436

Hyperglycemia, atherosclerosis and, 324 diabetic neuropathy and, 344-345 Hyperkeratosis, occupational, 556, 576

Hypoalbuminemia, in diabetic ulcer, 390-Hypochondriasis, 746-747 Hypoxia, in diabetic wound, 430-431

Hysteria, manifestations of, in foot disorders. 743-744

Hyvärinen's theory, in vibration disease, 716

Iliac artery, external, pulse, palpation of, 736 Immunosuppression, in diabetes mellitus, 327

Impingement lesion, arthroscopic anatomy of, 857-858

Implant, in tarsal coalition, 91-95 into sinus tarsi (Valente procedure), 153-

Impotence, in diabetic patient, 326-327 psychogenic versus organic, 347 Incision, laser surgery in, 774 Indium-111 scan, in osteomyelitis, 46-47 Indium-111 white blood cell scan, in dia-

betic foot evaluation, 368-372 Industrial hygiene, exposure standards in, 619-628

hazards to podiatrists and, 605-617 history of, 524-525, 605-606 Infarction, soft-tissue, detection of, 366 Infection. See also Ulcer.

in bone and joint, 37-56 in diabetic foot, 337, 395-410 amputation in, 486 antibiotics for, 402-404 causing osteoarthropathy, 356 clinical evaluation of, 396-399 control of, 387-390 gallium-67 citrate scan for, 367-368 indium-111 white blood cell scan for, 368-372

management of, 399-402 microbiology of, 402 prevention of, 416-417 soft tissue versus bone, nuclear studies in, 364-366 surgical treatment of, 405-408 wound care in, 408-409 wound closure in, 409-410

magnetic resonance imaging in, 917 Infectious agents, occupational exposure to,

Ingrown nail, in diabetic foot, 454-455 laser treatment of, 810-815, 818-820 Inhalation, of toxic substances, 609-612 Injury, from overuse. See Overuse injury. magnetic resonance imaging in, 919-920,

occupational, rates of, 531 types of, 532-539 to dancers. See Dancers.

Inlay bone graft, in Jones' fracture, 951 Insecticides, toxicity of, 568–569 Insensitive foot. See *Diabetic foot*. Insole, modification of, for diabetic foot, 464, 466

Instrumentation, in arthroscopy. See under Arthroscopy.

Insufficiency fracture, 980 Insulin, 317-318

requirements of, in perioperative period, 441–442

types of, 441 Insulin pump, in diabetes management, 318–319

Insurance, for workers. See Workers' compensation.

Intermittent claudication, in peripheral vascular disease, 733

Internal fixation, in Jones' fracture, 951–954 Intraarticular fracture, of ankle, arthroscopic treatment of, 885–902

Intraarticular structure, of ankle joint, 849, 851–852

Intramedullary screw fixation, in Jones' fracture, 951–954

"Intrinsic minus" foot, 336 Iodine, radioactive, inhalation of, 609 Irrigation, in diabetic infection, 388–389,

414-416 in osteomyelitis, 51

In osteomyelitis, 51
Isotope studies, in diabetic foot, 361–372

Jack test, 101
Japas osteotomy, in cavovarus, 201
J&J Ulcer Dressing, for diabetic ulcer, 420, 424
Johnson osteochondrotomy, in metatarsus adductus deformity, 219–220
Joint, Charcot, in diabetic patient, 351–359, 372, 452

degeneration of, arthroscopic anatomy of, 854–856

disease of, prevalence of, 600 surgery on. See Arthroscopy.

Jones' fracture, 946-954 nonunion in, 942-943

treatment of, 951-954

types of, 946

Jumper's knee, in dancers, 701 Juvenile Tillaux fracture, 301–303

Keratolysis, from rubber shoes, 575 Keratosis, in diabetic ulcer, 384–385 Keratotic papillomata, occupational, 576 Kirschner wire, in diabetic foot, infection from, 455 Knee, deformity of, determination of, 665 injury of, in athletes, 674-675 in dancers, 674-675 "screwing" of, in dancers, 701 strength of, in athletes, 688 "Knuckling down" of toes, in dancers, 701-702

"La belle indifference," in conversion disorder, 746

Lang criteria, for flatfoot surgery evaluation, 146-148

Lasers and laser surgery, 767–776 acronym for, 780–781 aiming beam in, 769–770 argon type, 771, 778–779, 794–795 carbon dioxide type. See Carbon dioxide laser.

classification of, 823 complications of, 823–828

burns, 824–827 from equipment malfunction, 825–826 from inappropriate target, 824–825 inappropriate tissue response in, 826–

827 credentials for, 826-827 design of, 787-797 electromagnetic spectrum and, 777-778 future developments in, 796 in toenail disease, 809-821 in verrucae vulgaris treatment, 799-807 laser cavity in, 768, 789 light generation in, 768-770, 780-784 occupational hazards in, 824-826 physics of, 767-770, 777-785 postoperative instructions for, 812 power density in, 770-774, 785 safety of, 777-785, 785-786 super pulsed, 793-794 tissue effects of, 770-771, 774, 778-780,

tissue effects of, 770–771, 774, 784–785 undesirable, 824–827 types of, 778–780 uses of, 774–775

versus ordinary light, 777 Lateral instability, of ankle joint, arthros-

copic stapling in, 875-883

Laws. See *Legislation*.

Laxity, of ligaments, determination of, 666

Lead, toxicity of, 563-565 Leather, shoe, for diabetic foot, 462-463

Leg amputation, impact of, in unamputated foot, 514

Leg holder, in arthroscopy, 845
Legislation, in occupational medicine, 526–527, 532, 606

exposure standards in, 620-624 workers' compensation and, 645-647 Lepird procedure, in metatarsus adductus deformity, 224–231 Leukocytes, impairment of, in hypoxia, 430 Ligamentous laxity, determination of, 666 Light cables, in arthroscopy, 839 Light sources, in arthroscopy, 840 Limb length, determination of, 656 Limb rotation, determination of, 656–657, 660

Lisfranc amputation, in diabetic patient, 500 Lisfranc joint injuries, in dancers, 702 Liver, occupational disorders of, 539 Low Dye strapping, in plantar fasciitis, 940–941

Maculopathy, diabetic, 321 Magnetic resonance imaging, 903-924 anatomy in, 907-908 hazards of, 905-906 in bone marrow disorders, 908, 912-913 in bone tumors, 913, 917 in musculoskeletal abnormality, 906-907 in osteomyelitis, 917 in osteonecrosis, 917 in soft-tissue infection, 917 in soft-tissue mass, 917-919 in trauma, 919-920, 923 principles of, 903-905 Malingering, 748 Malleolus position, determination of, 661 Mallet toe, in diabetic foot, 456 Manipulation, in convex pes valgus, 168-March fracture. See Stress fracture. Material Safety Data Sheets, 608 Matricectomy, with laser, complete, 813-815, 818 partial, 811-812, 818 Medial calcinosis, in diabetic foot, 378 Medial column, reconstruction of, in flatfoot, 106-107 Medullary curettage, in Jones' fracture, 951 Mental disorders, manifested in foot problems, 743-751

toxicity of, 562-566 Metatarsal fracture, fifth (Jones' fracture), 946-954

Mental status, assessment of, 18 Mercury, toxicity of, 566

Metals, carcinogenicity of, 588-589 dermatitis from, 574

Metatarsal head, lesions of, in diabetic foot, 456

resection of, 495–496
Metatarsus adductus deformity, cartilaginous procedures in, 219–220 osseous procedures in, 220–231 radiography of, 30–32

surgery for, 207–232
with bunion epiphysiodesis, 64–70
Microaneurysms, retinal, in diabetes, 320
Midfoot, amputation through, in diabetic
patient, 500
Monitor, in arthroscopy, 841–842
Motion, assessment of, 17–18
Motor system, assessment of, 15–16
lesions of, 176
Munchausen syndrome, 747–749
Munchausen syndrome by proxy, 749
Murphy triceps advancement, 183
Muscular deformity, 175–206
Muscular destroyb, deformity in 181

soft tissue procedures in, 210-219

Muscular dystrophy, deformity in, 181

Musculoskeletal system, effects of vibration
disease on, 718–719
occupational disorders of, 536
of dancers, 682–683

Myoinositol, in diabetes mellitus pathogenesis, 344–345 in diabetic neuropathy treatment, 326

Nail, anatomy of, 809–810 grinding of, dust inhalation in, 611 physiology of, 809–810 Nail disease, in diabetic foot, 454–455 laser surgery in, 809–821 fungus infection, 815–818, 820 ingrown, 810–815, 818–820 National Institute for Occupational Saf

National Institute for Occupational Safety and Health (NIOSH), occupational exposure limits of, 621.

Navicular, coalition of, with calcaneus, 80–81, 88–89, 91–93 with talus, 85, 89 Necrosis, in diabetic ulcer, 399–402

Necrotizing fasciitis, in diabetic ulcer, 401 Neodymium-yttrium aluminum garnet (Nd-YAG) laser, 771, 779, 795–796

Nephropathy, diabetic, 323–324 Nephrotoxicity, of aminoglycosides, 402 Nerve conduction studies, in diabetic neuropathy, 346–347

Nervous system, biopsy of, in neuropathy evaluation, 347 effects of hexane exposure on, 601–602 effects of vibration disease on, 716–718 evaluation of, of diabetic foot, 341–350 preoperative, 451–452 occupational disorders of, 534

Neuromuscular deformity, 175–206 paralytic, 190–198 spastic, 177–179, 181–189

Neuropathy, diabetic, autonomic, 325–327, 343 osteoarthopathy and, 351–353 classification of, 342 Neuropathy (Continued) diabetic, clinical features of, 342-344 differential diagnosis of, 345 evaluation of, 345-348, 396-398 pathology of, 344-345 peripheral, 325-326 amputation and, 481-482 evaluation of, 334-336 treatment, 348-349

Neurovascular reflex theory, in osteoarthropathy, 351

Neutrophils, labeled, in diabetic foot evaluation, 368-372

Nickel, carcinogenicity of, 588

NIOSH (National Institute for Occupational Safety and Health), occupational exposure limits of, 621

Nitrogen dioxide, inhalation of, 609-610 Nitrous oxide, inhalation of, 610 Noise, occupational exposure to, 543 Nonunion, in Jones' fracture, 942-943 Nuclear medicine applications, in diabetic foot, 361-372

Numbness, in diabetic neuropathy, 342 Nutrition, in diabetic ulcer, 386, 391-392 preoperative evaluation of, 452

Obturator, in arthroscope, 838-839 Occlusive dressing, for diabetic ulcer, 420 indications for, 422 infection under, 426

Occlusive vascular disease. See also Peripheral vascular disease.

in diabetic foot, 377-381 Occupational medicine. See also Safetu. accident statistics in, 545-546 athletes and, 671-705 cancer in, 581-592 dancers and, 671-705 disease prevention in, 547, 553-557 disease recognition in, 546-547 epidemiology in, 593-604 examination in, 553 exposure standards in, 619-628 factitial disorders and, 747-751 footwear biomechanics in, 629-643 goals of, 529-530 hazardous agents in, 539-541 to podiatrists, 605-617 history of, 523-527 illness rates in, 530-531

legislation in, 526-527, 532, 606

medical history in, 546, 553-554

exposure standards and, 620-624

injury rates in, 531 job type and, 530-531

noise in, 543

pathogenesis of, 38-41 prognosis in, 399 radiographic appearance of, 448-449 Osteonecrosis, magnetic resonance imaging infectious agents in, 543 in, 917

137-151 in cavovarus, 200-202 in metatarsus adductus deformity, 210-

in spastic deformity, 179

physician's role in, 529-549 podiatrist's role in, 551-557 pressure hazards in, 545 radiation in, 541-543 skin disorders in, 571-579 somatoform disorders and, 743-747 static biomechanical examination in, 653stress in, 543 temperature hazards in, 543-544, 575 toxicologic principles in, 559-570 types of disorders in, 532-539

peripheral vascular disease and, 729-742

vascular testing in, 753-758 vibration disease and, 545, 713-727 workers' compensation and, 645-651 Occupational Safety and Health Act of 1970,

526, 606 exposure limits defined by, 620-621

Onychocryptosis, laser treatment of, 810-815, 818-820

Onychomycosis, laser treatment of, 815-818, 820 Op-Site dressing, for diabetic ulcer, 421,

Oral hypoglycemic agents, in diabetic infec-

tion, 415 Organophosphates, toxicity of, 568-569 Orthosis, for overuse injury, 963-967 Oscillometry, in peripheral vascular disease,

738-740 Osmotic débridement, in diabetic infection, 415

Osteoarthropathy, 351-359 Osteochondral bodies, arthroscopic anatomy

Osteochondromatosis, arthroscopic anatomy of, 858

Osteochondrotomy, Johnson, in metatarsus adductus deformity, 219-220

Osteolysis, in osteoarthropathy, 355-356 Osteomyelitis, 37-56 amputation in, 486

diabetic ulcer and, 389-390 diagnosis of, 41-47 with nuclear medicine, 364-366

gallium-67 citrate scan for, 367-368 indium-111 scan for, 368-372 magnetic resonance imaging in, 917

Osteotomy, calcaneal, in flexible flatfoot,

in talar neck, in flatfoot, 119–136 reverse Cole, in paralytic equinovalgus, 196 rotation, in paralytic calcaneus, 191

rotation, in paralytic calcaneus, 191 Overuse injury. See also Stress fracture. in sport, 939–968

Haglund's syndrome, 942–945 Jones' fracture, 946–954 orthotic devices for, 963–967 plantar fasciitis, 939–942

tarsal navicular stress fracture, 954–967 Oxygen, hyperbaric, in diabetic foot treatment, 429–436

Ozone, inhalation of, 609-610

Packing, in wound care, 416
Pain, in diabetic neuropathy, 342–343
treatment of, 349
in osteoarthropathy, 352
rest, in peripheral vascular disease, 734
Pallor, in diabetic foot, 333
Papillomata, keratotic, occupational, 576
Papovavirus wart (verrucae vulgaris), laser
surgery on, 799–807
Paralysis, in conversion disorder, 745
Paralytic deformity, calcaneocavus, 197–198
calcancus, 191–193
equinovalgus, 193–196

equinovalgus, 193–196
equinovarus, 196–197
equinus, 190–191
Paraquat, toxicity of, 569
Parasitic infection, occupational, 575
Paresthesia, in conversion disorder, 745
Patient preparation, 1–9

Patient preparation, 1-9 developmental concerns in, 2-3 for surgery, 3-6 Pediatric patients, athletic injuries in, 677-

clubfoot in, four quadrant approach in,

233-245
recurrent, 247-265
convex pes valgus in, 163-173
epiphyseal injuries in, 279-310
flatfoot in, talar neck osteotomy in, 119136

flexible flatfoot in, 99–117 fracture management in, 267–278 hallux valgus in, epiphysiodesis in, 63–74 metatarsus adductus deformity in, 207–

232
neurological examination in, 11–20
neuromuscular deformities in, 175–206
osteomyelitis in, 37–56

patient preparation in, 1–9 pes valgus in, calcaneal osteotomy in, 137–151

polydactyly in, 57-62 radiographic evaluation in, 21-36 subtalar arthroereisis in, 153–161 tarsal coalitions in, 75–98 Penicillin, in diabetic infection, 389, 402 Pentoxifyllene, in diabetic ulcer, 387 Perfusion, evaluation of, 333–334 Perioperative management, in diabetes mel-

Perioperative management, in diabetes mellitus, 439–443
Peripheral nerves, deficit of, in vibration disease, 716–718

Peripheral neuropathy. See under Neuropathy.

Peripheral vascular disease, claudication test in, 737-738

diabetic foot and, 377–381, 387 early diagnosis of, **729–742** evaluation of, 396–398 gangrene prevention in, 730, 740–742 medical history in, 732–734

oscillometry in, 738-740 pathophysiology of, 731-732 physical examination in, 734-737

predisposing factors for, 729 skin color changes in, 737

unsuccessful treatment of, 730 Permissible exposure limit (PEL), of toxic substances, 621

Peroneal spastic flatfoot, 79–80 Perspiration, absorption of, by footgear, 643 Pes planovalgus, convex, radiography of, 28–30

Pes valgus. See also Flatfoot. congenital, 163–173 Pesticides, toxicity of, 568–570

Phenytoin, in diabetic neuropathy, 349

Photonics, 925-935

biochemical measurement with, 925 radiographic interpretation with, 929 three-dimensional modeling with, 929 Photoplethysmography, in pre-amputation evaluation, 489

Physician's role, in occupational medicine, 529-549

Plantar fasciitis, 939–942 in dancers, 701 orthotic device for, 963 Plantar ballux lesion, in d

Plantar hallux lesion, in diabetic foot, 455 Plantar wart, laser surgery in, 799 Plethysmography, in vascular testing, 740,

756-757

Pointe work, in dancing, 671 ideal foot structure for, 681 minimum age for, 681 toe collapse in, 701–702 Polydactyly, 57–62

Polyurethane dressing, for diabetic ulcer, 421

Popliteal tendinitis, 963–964 Portals, for arthroscopy, accessory, 867–868 anterior, 861–864 posterior, 864–866 Posterior tibial tendinitis, orthotic device for, 964

Povidone-iodine, in wound care, of diabetic foot, 414–415

Power density, of lasers, 770–774, 785 Preoperative care, of diabetic patient, 440– 441

Pressure, elimination of, in diabetic ulcer, 390–391

from ill-fitting shoes, 460–466 occupational exposure to, 545

on foot, in athletes, 691-692 in dancers, 692

Pressure transducer, in peripheral vascular disease detection, 740

Prevention, of accidents, 524 of occupational cancer, 591

of occupational disease, 547, 553-557 Primaderm dressing, for diabetic ulcer, 421,

Pronation, excessive, orthotic device for,

Pronation-external rotation fracture, 299–301

Prophylactic surgery, in diabetic foot, 445–457

Pseudologia fantastica, 748

Pseudomonas aeruginosa, in osteomyelitis, 52–54

 Pulse, pedal, evaluation of, 333, 386, 397 peripheral, in vascular disease, 735–736
 Pulse volume recorder, in pre-amputation evaluation, 489–490

Pump, insulin, in diabetes management, 318–319

"Pump-bump," 942-945

Pumps (shoe style), biomechanics of, 634–635

Puncture wound, osteomyelitis following,

Pushoff phase, biomechanics of, 634–635, 638–640

Radiation, carcinogenicity of, 589 hazards of, 614–616 occupational exposure to, 541–543 protection against, 615–616

Radiography, 21–36 in ankle fracture, 296 in cavus foot, 32–33 in clubfoot, 33–35

in congenital pes valgus, 166 in flatfoot, 24-26, 101, 120-123

in growing foot evaluation, 23–24 in metatarsus adductus, 30–32

in osteomyelitis, 42–43 in tarsal coalition, 80–85

of accessory bones, 21-23

of diabetic foot, preoperative, 453 photonics in, 929

Radioisotopes, in diabetic foot evaluation, 361–372

in peripheral vascular disease detection, 740

Ramazzini, Bernardino, as father of occupational medicine, 523

Range of motion exercise, in plantar fasciitis, 942

Ray amputation, in diabetic foot, 496, 506 weight distribution changes after, 511

Raynaud's disease, versus vibration disease, 722–723

Raynaud's phenomenon, occupational, 575–576

Reactive hyperemia test, in peripheral vascular disease, 737

Reflex, ankle, in diabetic neuropathy, 346 Reiter's syndrome, versus Haglund's syndrome, 944

Renal disease, in diabetes, 323–324 Reproductive system, occupational dis

Reproductive system, occupational disorders of, 534

Respiratory tract, occupational disorders of, 532, 534

Retinopathy, in diabetes, 319–323 Retrocalcaneal bursitis, versus Haglund's syndrome, 942, 944

Retropatellar irritation, in dancers, 701 Revascularization, causing osteoarthropathy, 356–357

in hypoxia correction, 430-431 in peripheral vascular disease, 379-381

Reverse Cole osteotomy, in paralytic equinovalgus, 196

Right to Know laws, 526–627 Rockerbottom Charcot foot, in diabetic patient, 355

Rockerbottom flatfoot, 163–173 Rodenticides, toxicity of, 569–570 Roentgenography, in peripheral vascular

disease detection, 740
Rotation, of limb, determination of, 656–657, 660

Rotation osteotomy, in paralytic calcaneus, 191

Rubber, dermatitis from, 574

"Runner's knee," orthotic device for, 963– 964

Safety. See also Occupational medicine. in laser use, 785–786

complications and, 823-828

in magnetic resonance imaging, 905–906 Salter-Harris classification, of epiphyseal in-

juries, 288-290 versus Dias-Tachdjian system, 293-297 Sampling, of airborne toxic substances, 612-614

Sandals, for diabetic foot, 467

Sartorius origin, strain of, in dancers, 701 Scaling of skin, in diabetic foot, 336 Scleroderma, occupational, 575–576

Screw fixation, in Jones' fracture, 951-954 Second intention wound closure, in diabetic infection, 410

Segmental limb pressure measurement, in diabetic patient, 489

Selfoc rod, in arthroscope, 832-833

Sensation, in diabetic foot, 336-337, 346-347

Sensory system, abnormality in, in conversion disorder, 745

assessment of, 16-17

Septic foot, amputation in, 487

Shear deformity, in diabetic foot, 450, 454-455

Shin splints, in dancers, 701 orthotic device for, 964 versus stress fractures, 703

Shoe gear. See also Footgear. for diabetic foot, 390–391, 459–469

after amputation, 511–514 in partial amputation, 466–467 indications for, 459–460

insole for, 464, 466 outer sole modification in, 463–464 patient management and, 467–469

proper fit of, 460-462 stretching of, 462

style of, 462 temporary, 467

upper part of, 462-463

poor fit of, in polydactyly, 59
"Short-leg syndrome," in athletes, 681
Short-term Exposure Limit (STEL), for oc-

cupational exposures, 625 Sickling," of foot, in dancers, 701

"Sickling," of foot, in dancers, 701 Silastic plug, in subtalar joint arthroereisis, 103–111

Silfverskiöld examination, 111

Sinus tarsi, implant into (Valente procedure), 153-161

Skin, color of, in peripheral vascular disease, 734, 737

disorders of, self-inflicted, 576 effects of vibration disease on, 719

occupational disorders of, 532, 571–579 toxic substances absorption through, 608– 609

Skin flap, in diabetic infection, 409

Skin graft, in diabetic foot, 409 after amputation, 512

Slippers, biomechanics of, 635 Smith STA-Peg procedure, in flatfoot, 106-

111 Smoking, by diabetic patient, 324 Soak, warm, in diabetic infection, 417 Soft-tissue abnormality, magnetic resonance imaging in, 917-919

Soft-tissue procedures, for metatarsus adductus deformity, 210–219

Sole of shoe, modification of, for diabetic foot, 463–464

Solvents, carcinogenicity of, 588 toxicity of, 567-568

Somatization disorder, 743-744

Somatoform disorders, occupational, 743–747

Sorbitol, in diabetic neuropathy, 344 in diabetic retinopathy, 321

Spacer in shoe, after amputation, 513

Spastic deformity, 177–179 calcaneus, 188–189

cavovarus, 189 equinovalgus, 188 equinovarus, 183–187

equinus, 181–183

Spastic flatfoot, peroneal, 79–80 Spenco Second Skin, for diabetic ulcer, 421–422, 425

Spondylolysis, in athletes, 677 in dancers, 677

Sports. See also Athletes.

overuse injury in, 939–968. See also Stress fracture.

Haglund's syndrome, 942–945 Jones' fracture, 946–954 orthotic devices for, 963–967

plantar fasciitis, 939-942 tarsal navicular stress fracture, 954-963 Sprain, of ankle, chronic lateral instability

after, 876 in dancers, 702

Stance angle, determination of, 666

Stance phase, biomechanics of, 630–632, 638–641

Stance phase deformity, in diabetic foot, 450, 455–456

Standards, for occupational exposures, 619-628

STA-Peg procedure, in flatfoot correction, 106-111

Stapling, in arthroscopic ankle joint repair, 875–883

Static biomechanical examination, in occupational medicine, 653-669

STEL (Short-term Exposure Limit), for occupational exposures, 625

Sterile technique, in diabetic wound care, 416–417

Strain, on bone, 975

Strapping, in plantar fasciitis, 940-941

Stress, occupational exposure to, 543

Stress fracture, 969-989 anatomy of, 970-971, 976-977

anatomy of, 970–971, 976–977 anthropometric considerations in, 977–978 biological considerations in, 978 biomechanics of, 974-975 diagnosis of, 980-983 in athletes, 676, 702-703 in dancers, 676 incidence of, 983-984 natural course of, 987 of fifth metatarsal, 949-951 patient factors in, 978, 980 prevention of, 987-988 return to sport after, 986-987 tarsal navicular, 954-963 diagnosis of, 954-957 treatment of, 960-963 types of, 957, 960 treatment of, 984-986

Stretching exercise, in plantar fasciitis, 942 "Striping" technique, in laser surgery, 775 Subtalar joint, arthrodesis of, in spastic deformity, 178-179

arthroereisis of, 108–111, **153–161** biomechanical examination of, 663–665 neutral position of, 655

Sugar, in wound care, of diabetic foot, 415 Sulfonylureas, in diabetes management, 318 Sulindac, in diabetic neuropathy, 349 Sunlight, carcinogenicity of, 589 Super pulsed laser system, 793–794 Supination-adduction fracture, 297–307 Supination-external rotation fracture, 299–

Supination-plantar flexion fracture, 299 Surgery, on diabetic foot, considerations in,

prophylactic, 445–457
bacteriologic evaluation in, 452–453
complications in, 446, 454
criteria for, 446
deformity analysis in, 450
neurological evaluation in, 451–452
nutritional evaluation in, 451
procedures for, 454–456
radiological evaluation in, 453
success rate of, 456
surgical predictive index and, 453
vascular evaluation in, 451

Surgical predictive index, in diabetic foot, 453

Sweat gland function, evaluation of, in diabetic neuropathy, 347

Sweating abnormality, in diabetic foot, 343 Swelling, of foot, in course of day, 641–642 Syme amputation, terminal, in diabetic foot, 493, 495

Synovitis, arthroscopic anatomy of, 852–853 Synthaderm dressing, for diabetic ulcer, 421, 425 Synthetic membranes, for diabetic ulcer, 419–426

advantages of, 423 clinical research on, 426 contraindications for, 422–423 disadvantages of, 423, 426 indications for, 422–423 types of, 420–422

Tailor's bunion, in diabetic foot, 455
Talar neck, osteotomy of, in flatfoot, 119–
136

Talipes equinovarus. See Clubfoot. Talocalcaneal coalition, 81–85, 89, 91–93 Talofibular ligaments, avulsion fracture at, 891–892, 894

Talonavicular coalition, 85, 89
Talonavicular joint, reduction of, in congenital convex pes valgus, 170–171

Tar warts, occupational, 576
Tarsal coalition, 75–98
classification of, 76
clinical presentation of, 78–79
incidence of, 77–78
radiography of, 26–28
types of, 79–82

Tarsal navicular stress fracture, 954–963 diagnosis of, 954–957 treatment of, 960–963

treatment of, 960–963 types of, 957, 960

Technetium-99m macroaggregated albumin, in diabetic foot evaluation, 362 Technetium-99m phosphate bone scan, in

diabetic foot evaluation, 363–366 Technetium–99m scan, in osteomyelitis, 43–

Tegaderm dressing, for diabetic ulcer, 421, 425

Tegretol. See Carbamazepine.

Temperature, of extremity, in peripheral vascular disease, 734–735 occupational exposure to, 543, 545, 575

Tendinitis, in dancers, 700 orthotic devices for, 963-964

Tendon transfer, in cavovarus, 201–202 in metatarsus adductus deformity, 218– 219

in spastic deformity, 178, 183 Tenotomy, in spastic deformity, 178

Thallium–201, in diabetic foot evaluation, 362–363

Thermography, in peripheral vascular disease detection, 740

Thermometry, in shoe fitting, in diabetic foot, 461

Thomson procedure, modified, in metatarsus adductus deformity, 212–218 Three-dimensional modeling, with photonics, 929
Threshold Limit Values (TLVs), for occupa-

tional exposures, 620–627 Tibial artery pulse, evaluation of, 333

palpation of, 736

Tibial lip, avulsion fracture of, 894–895 Tibial varum, determination of, 666

Tibiofibular ligaments, avulsion fracture at, 887–891

Tibiotalar impingement syndrome, in dancers, 702

Tibiotalar ligaments, avulsion fracture at, 893–894

Tillaux fracture, juvenile, 301-303

TLVs (Threshold Limit Values), for occupational exposures, 620-627

Tobramycin, in diabetic infection, 402 Toe shoes, for dancer. See *Pointe work*.

Toe systolic pressure, in pre-amputation evaluation, 489

Toenail. See Nail. Toe(s). See also Digit(s).

drifting of, after lesser toe amputation, 512–513

interspaces of, macerated, infection and, 337

"knuckling down" of, in dancers, 701–702 Tourniquet, in amputation, 491–492 Toxic Substance Control Act of 1976, 526

Toxic substances, air sampling of, 612–614 antidotes to, 560–561 causing skin changes, 576

chemical reactions of, 560–562 exposure routes of, 608–612 metallic, 562–566

neurological effects of, 534

organic chemicals as, 567–568 pesticides as, 568–570 pharmacology of, 541

standards for, 619–627 target organ effects of, 607

Toxicity, quantitative expression of, 559–560 Toxicology, in occupational medicine, 559–570

Transchondral fracture, of ankle, anterolateral, 896–898

arthroscopic anatomy of, 857 etiology of, 895

posteromedial talar dome, 898–901 postoperative care in, 901 types of, 895–896

Transcutaneous nerve stimulation, in diabetic neuropathy, 349
Transmetatarsal amputation, 496, 498–500.

507–508 muscle balance disruption after, 511

Transplantation, renal, in diabetic nephropathy, 323–324

Trauma. See *Injury*.
Triplane fracture, 303–307

Triple arthrodesis, in spastic deformity, 183 Trocar, in arthroscope, 836

Tumors, magnetic resonance imaging in, 913, 917-919

Ulcer, débridement of, with laser surgery, 775

diabetic, 382-393. See also Infection. amputation in, 486

angiographic evaluation of, 362 causes of, 383

classification of, 384-385, 398 evaluation of, 383-386

following amputation, 508–511 from ill-fitting shoe, 461, 463

infection control in, 387–390

neurotrophic versus ischemic, 384–385 nonhealing of, 387 nutrition and, 391–392

pressure control in, 390–391 synthetic memchemic, 384–385

nonhealing of, 387 nutrition and, 391–392

pressure control in, 390–391 synthetic membranes in, 419–426 systemic factors in, 385–386

total contact cast for, 471–478 vascular insufficiency and, 387 Ultrasound, in diabetic foot examination,

334, 397, 489 in peripheral vascular disease detection, 738–739

in stress fracture, 985

in vascular testing, 754-756 Ultraviolet light, carcinogenicity of, 589

Unna boot, in wound care, 415

Urinary tract, occupational disorders of, 539

Valente procedure, 153-161

Vaporization, of tissue, by lasers, 774-775 Varus, determination of, 665 tibial, 666

Vascular system. See also Peripheral vascular disease.

evaluation of, 753-758

in diabetic patient, 377–381, 489–490 preoperative, 451 laboratory setup for, 757–758

methods for, 754-757 occupational disease of, early diagnosis of,

729–742 Vasodilators, in vibration disease, 723

Vasospasm, in vibration disease, 715–716, 720–722

Vastus medialis muscle, avulsion of, in dancers, 701

Verrucae vulgaris, laser surgery on, 799-807

verrucous, laser surgery on, 799-807

Weight bearing, on diabetic ulcer, 390-391

White blood cell scan with indium-111, in

diabetic foot evaluation, 368-372

Wood, dermatitis from, 574

Water, occupational disorders from, 575

Vibration, in flamenco dancing, 693-700 occupational exposure to, 545 Vibration disease, occupational, 713-727 characteristics of, 714-715 clinical findings in, 720-721 dermatologic component of, 719 diagnosis of, 721-723 peripheral nerve deficit in, 716-718 prevention of, 724 prognosis of, 724-725 symptomatology of, 719-720 treatment of, 723-724 vasospastic component of, 715-716 Vibratory sensation, evaluation of, 334 Video camera. See Photonics. Vigilon dressing, for diabetic ulcer, 421-422, 425

Workers' compensation, 645-651 musculoskeletal component of, 718-719 coverage of, 649 definition of, 646 disability classification in, 647-648 history of, 645-646 purposes of, 646 types of, 646-647 Wound care, in diabetic foot, 408-409, 413materials for, 414-415 Wound closure, in diabetic infection, 409-Vinyl chloride, carcinogenicity of, 587 Wound healing, in diabetic infection, 409toxicity of, 568 Viral infection, causing diabetes mellitus, hyperbaric oxygen and, 429-430 normal, 413 Vision loss, in diabetes, 319-323

Wagner ulcer classification system, 384, 398 Wart, occupational, 576

Xeroform dressing, in wound care, 417 Xerosis, in diabetic foot, 336

